

Can coatings improve concentrating solar power plants?

This review explores the pivotal role of coatings in advancing Concentrating Solar Power (CSP) plants, crucial for harnessing clean and sustainable energy. Covering various coating techniques, including vapor deposition, laser deposition, sol-gel, thermal spray, and others, the study evaluates their applications, advantages, and limitations.

Why are coatings important for energy systems?

This dual role significantly increases the efficiency and sustainability of these energy systems, situating coatings as integral components in improving the performance and durability of these plants. With regard to their application as a corrosion barrier, in general, all deposition techniques are low-cost methods with optimal results.

Can sol-gel coatings be used in solar power plants?

As discussed above, sol-gel coatings are very useful in solar thermal power plants. In addition to their good corrosion resistance, they can also be used as selective black coatings to improve the absorbance in CSP plants. A good example of this is the low-cost chromium-free selective multilayer surfaces.

What is sol-gel coating?

In particular, sol-gel shows remarkable versatility and allows the generation of more efficient coatings with good optical and corrosion-resistant properties. However, this technique is also energy-intensive and has a higher carbon footprint compared to other methods.

Can spray coatings be used as selective solar absorbers?

Tunneability to the application. The use of spray coatings as selective solar absorbers has achieved absorbance values of 0.84-0.96, with low emissivity of 0.04-0.36 and high energy conversion efficiency. In addition, they have proven to be resistant in high-temperature environments in day-night cyclic tests.

Can sol-gel coatings be used on metals?

For this reason, reviews of the use of sol-gel coatings on different metals (steel, copper, magnesium, magnesium, aluminium, and alloys) began to be carried out, as they have a great anti-corrosive effect [, ,]. In addition, they proved to be resistant to water and abrasion.

Sol-gel coatings can provide a conformal and uniform coating on the surface of the cathode material, ensuring efficient utilization of the active material. ... making it appealing for diverse applications in energy storage and other fields. The combustion method primarily relies on three key constituents: the oxidizer, fuel, and solvent.

2.5.1 ...

The increasing demands to further electrify and digitalize our society set demands for a green electrical energy storage technology that can be scaled between very small, and heavily distributed ...

Thermal energy storage (TES) appears as a realistic solution for enabling CSP to be a dispatchable source of renewable energy (Liu et al., 2016). Molten nitrate salts are currently considered ideal candidates for both heat transfer and storage applications because of their properties. ... Regarding the coating process, sol-gel coatings present ...

Since the last decade, the need for deformable electronics exponentially increased, requiring adaptive energy storage systems, especially batteries and supercapacitors. Thus, the conception and elaboration of new ...

Optimized energy-storage performance in Mn-doped Na_{0.5} Bi_{0.5} TiO₃-Sr_{0.7} Bi_{0.2} TiO₃ lead-free dielectric thin films. Author links open overlay panel Jun Wang, Guoxiu Qiu, Hao Qian, ... 0.55Na_{0.5} Bi_{0.5} TiO₃-0.45Sr_{0.7} Bi_{0.2} TiO₃-xMn thin film samples were fabricated on the Pt/Ti/SiO₂/Si substrates via the Sol-Gel coating technique.

In this work, it is the first time as far as we know to study the effect of A-site Ni doping on the energy storage performance of BTO. The Ni-doped BTO (BN_xT, x = 0, 0.02, 0.04, 0.06, 0.08) thin films were synthesized by sol-gel and spin-coated method, the structure, ferroelectric, dielectric and energy storage properties of these films were investigated, and the ...

Owing to scarce and expensive lithium based energy storage system, sodium ion batteries have gained attention as a potential alternative, leveraging their low cost components including abundant sodium as anode over competing energy storage technologies. ... In the sol-gel coating method, a gel-like coating layer is deposited on the surface of ...

Phase change energy storage technology, being an effective means of energy storage, through its main phase change material (PCM) which isothermally absorbs or releases a considerable amount of heat during the phase change process, resolves the issue of the temporal and spatial mismatch in energy supply [1]. Additionally, PCM possesses the advantages of ...

Novel self-supporting multilevel-3D porous NiO nanowires with metal-organic gel coating via "like dissolves like" to trigger high-performance binder-free lithium-ion batteries. Author links open ... Transition metal oxide anodes for electrochemical energy storage in lithium- and sodium-ion batteries. Adv. Energy Mater., 10 (2020), p. 1902485.

Now in many types of gels, as a kind of new advanced materials, the ILs-based gels which means that the gel contains ILs are attractive. ILs are organic salts formed by organic cations together with organic or inorganic anions with melting points below 100 °C and have been applied to prepare some gels [[16], [17], [18]]. Poly(ionic liquids) (PILs) are polymer chains ...

The surface coating is closely related to the performance of cathode materials and various coating technologies could influence the properties of cathode: a thicker coating layer may provide better protection for the

particles, but the ion and electron transport in the surface coating will be limited; a thin coating layer is difficult to ...

The current importance of energy production from renewable sources stimulated interest in energy storage systems. Recent research has focused on developing vanadium redox flow batteries (VRFB) for large scale energy storage owing to their cost-effectiveness, flexible design, energy efficiency and long cycle life.

A novel multifunctional fiber energy storage device consisting of LMO-LTP-AC is developed by the coating-extrusion method. Due to the continuous preparation process, ...

Except for the above-mentioned PCMs, decanoic acid, serving as a phase change energy storage material, possesses several remarkable properties. It has a low melting point ...

Sol-gel ZrO_2 -3%molY $_2\text{O}_3$ coating deposited by means of a dip-coating application on P91 steel was statically tested at 500 °C in contact with Solar Salt (60% wt.% NaNO_3 /40 wt.% of KNO_3) for 1000 h. This work assessed the behaviour of the coated P91 steel both from a technical and environmental point of view. Both studies were compared to those ...

In this work, sol-gel-derived $\text{Pb}_{0.97}\text{La}_{0.02}(\text{Zr}_{0.97}\text{Ti}_{0.03})\text{O}_3$ (PLZT 2/97/3) antiferroelectric (AFE) thick films were fabricated on LaNiO_3 -bottom electrodes through a two-step heat-treatment process. The effects of the heat-treatment process on the crystalline structure and the energy-storage performance of the AFE films were investigated in detail.

It is revealed that the best energy storage performance, which corresponds to a large breakdown strength and a medium dielectric constant, is achieved in STO films annealed at 650 °C, which ...

Coating materials can be directly introduced into the substrates without adding morphological deformations. In this chapter, we will discuss the classifications of energy storage systems ...

A CNF-reinforced PAA/DES ion-gel electrolyte is introduced with high water retention, adhesiveness, self-healing, and wide-temperature tolerance (-20-60 °C). ... and ...

The scope of reviewed dip-coating methods are not only conventional solution and sol-gel-based dip-coating, but also recently developed vacuum-assisted, spin-assisted, photo-assisted and multi-layered dip-coating ...

Dielectric films with a high energy storage density and a large breakdown strength are promising material candidates for pulsed power electrical and electronic applications. Perovskite-type dielectric SrTiO_3 (STO) has ...

Coating processes for energy storage batteries encompass multiple methodologies aimed at enhancing performance, durability, and efficiency. 1. Various techniques enhance the ...

As shown in Fig. 6g, 2-ply of MXene-coated cotton yarns as electrodes was knitted into a pristine fabric that can be used as a supercapacitor with high energy storing capability (the capacitance was 707 mF cm^{-2} at 2 ...

2.1 SOL-GEL COATING. The sol-gel process represents one of the most versatile techniques for applying coatings to battery components. This method is characterized by the transition of small molecular clusters into a solid gel-like structure that can enclose active materials. ... The application of coatings to energy storage batteries confers ...

Energy storage systems are the main field in which this research's high-performance electrolytes can be used to greatly enhance supercapacitors' overall performance. 2. ... The equipment for CVD coating is much more expensive than the equipment for sol-gel dip coating. Carbon aerogels are used as electrodes in supercapacitors. They are made ...

In order to meet the safety, flexibility and multi-functionality requirements for advanced energy-storage devices (ESDs), polymer electrolytes have been considered as the best candidate to replace the liquid electrolytes due to their wide electrochemical window, good thermal stability and reduction in the risk of the electrolyte solution leakage [7].

These attributes reduced porosity, enhanced electrode materials loading, and stabilized the interface between the fiber electrode and gel electrolyte of FESDs, enabling the ...

In this paper, the BZT thin films were successfully fabricated on p-Si substrates via a sol-gel/spin-coating method and the effects of multilayer thickness on the microstructure, phase ...

Inspired by the common preparation method of mesoporous silica where polyethylene glycol (PEG) was used as template to obtain porous silica, PEG/silica (PEG@SiO₂) composite as shape-stabilized phase change material for energy storage was well prepared this paper, PEG was used as phase change material (PCM) to store and release thermal ...

In general, the gel coating containing 15C5 acts as a selective interface layer so that the ions entering the BASE through the gel layer are selected, and it also improves the interfacial contact between the electrode and BASE. ... His main research interests are novel electrochemical energy storage materials and industrial technology of ...

Hybrid sol-gel coatings for reducing wettability and storage degradation of biomass pellets Luis Cutz a, *, 1, Ur?sa Tiringier b, 1, Wiebren de Jong a, Arjan Mol b a Section of Large-Scale Energy Storage (LSE), Department Process & Energy, Faculty Mechanical, Maritime and Materials Engineering, Delft University ...

In this study, we present a new gel-polymer electrolyte containing a methacrylate-based polymer matrix and a diglyme-based liquid electrolyte (DOKBn-GPE) suitable for K-based energy storage devices. Initially, the

conductivity, thermal and electrochemical stability of the new DOKBn-GPE are investigated and compared with those of the "neat ...

Web: <https://eastcoastpower.co.za>

