

Is hard carbon a good anode material for sodium ion batteries?

Hard carbon (HC) is one of the most promising anode materials for sodium-ion batteries (SIBs) due to its suitable potential and high reversible capacity. At the same time, the correlation between carbon local structure and sodium-ion storage behavior is not clearly understood.

What is the reversible capacity of a hard carbon anode?

The reversible capacity of the hard carbon anode prepared by preoxidation could be increased by about 24 % to 274.2 mAh g<sup>-1</sup> compared with the hard carbon anode without preoxidation. Different coals have distinct structural characteristics, resulting in different electrochemical properties for sodium ion storage.

How can a hard carbon anode reduce the efficiency of sodium-ion batteries?

Defects are inevitable in the hard carbon anode, which results in a large number of irreversible sodium ion sites and reduces the efficiency of sodium-ion batteries. The reduction of defects in the hard carbon anode can be achieved by changing the carbonization process conditions and introducing reducing agents.

What are the advantages of a hard carbon anode?

At high mass loading, the hard carbon anode demonstrates high power capacity (1.05 mAh cm<sup>-2</sup> at 2 A g<sup>-1</sup>) and excellent cycling stability. Additionally, coupling different precursors can also combine their advantages to prepare high-performance hard carbon materials.

Is coal a good anode material for sodium ion batteries?

To date, coal-based hard carbon is a promising anode material for sodium-ion batteries due to its high storage capacity, appropriately low operating potential and relatively stable source. In addition, coal offers significant advantages in terms of cost, scale-up production and commercialization.

What is the reversible capacity of HC O anode?

The HC O anode displays a high reversible capacity of 352.9 mAh g<sup>-1</sup> and ICE of 88.0 %. Hard carbon with abundant pore structure and suitable interface has become a promising anode for sodium-ion batteries. However, it is still a challenge to accurately regulate the hard carbon micropore structure and customize the appropriate interface.

In SIBs, the anode side is mostly represented by different types of carbonaceous materials, with recent emphasis on hard carbon (HC). HC is distinguished from other types of carbon by its high hardness, which allows it to be used in battery applications that require materials to be mechanically resistant during cycling [1]. HC is a type of amorphous carbon ...

Hard carbon (HC) features high capacity, structural stability, and sustainability as an anode material. SIBs employing this carbon anode can achieve an energy density of up to 160 Wh kg<sup>-1</sup> [6], enabling SIBs a crucial player in large-scale electric vehicle or energy storage systems despite these advantages, the sodium storage

performance of hard carbon anodes ...

The present review comprehensively elaborates on the mechanism of sodium storage and different preparation methods of cellulose-derived hard carbon, explores different microstructures of cellulose-derived ...

Presents a developmental timeline for Na + storage mechanisms in hard carbon anode materials, showcasing a series of significant research milestones: (a) The "Intercalation-hole filling" mechanism model was initially proposed [73]; (b) this model was later proven [76]; (c) the "adsorption-intercalation" mechanism model was introduced ...

Metallic anodes can be replaced with carbon materials like graphite, a common anode material for LIBs. However, its application in SIBs is limited since sodium ion intercalation into the graphite structure is thermodynamically unstable, leading to low specific capacity values [6]. An alternative carbon material is hard carbon (HC). As a disordered form of carbon, it ...

Several reviews have focused on sodium-based energy storage technologies 8, 73; mechanism of carbonaceous anodes in SIBs 64, 101, 102, ... The optimized hard carbon anode (PFHC-20) showed a higher reversible capacity (334.3 vs. ...

Compared with hard carbon anode, the study of Na + storage behaviors of soft carbon material was rarely summarized. The structure of soft carbon materials is composed of the disorder graphite-like nanodomain with expanded layer distance, and the corresponding discharge curve of soft carbon materials only shows the slope voltage region without a ...

On the basis of the microstructures, unique electrochemical characteristics, and atomic pair distribution function (PDF) analyses, we proposed a new model of "three-phase" ...

PMMA is firstly introduced as substitute binder for PVDF. The binder promotes a uniform formation of the SEI enriched in inorganic components. The hard carbon with 70 ...

Among various energy storage technologies, rechargeable sodium-ion batteries (SIBs) have entered into the research spotlight in recent years. Compared to the mature lithium-ion batteries (LIBs) that suffer from high price and poor natural reserve of Li resources, SIBs become one of the most attractive options owing to their extremely low cost and abundance in ...

Regulating pore structure of hierarchical porous waste cork-derived hard carbon anode for enhanced Na storage performance. Adv. Energy Mater., 9 (2019), Article 1902852, 10. ... Coupled carbonization strategy toward advanced hard carbon for high-energy sodium-ion battery. ACS Appl. Mater. Interfaces, 9 (2017), pp. 23766-23774, 10.1021/acsami ...

This work has prepared high-performance hard carbon anode materials using low-cost biomass raw materials

and a simple preparation process, providing a promising choice for the commercial anode materials of SIBs. ... Molecular engineering to regulate the pseudo-graphitic structure of hard carbon for superior sodium energy storage. Small (2024 ...

Notably, three electrochemical storage mechanisms are involved in the anode materials: insertion/deinsertion, conversion, and alloying. 1 Depending on the storage mechanism, the anode component directly affects a battery's capacity and energy density, leading to increased battery runtime. A stable anode material should have good cycling ...

Benefiting from the effective modulation of the carbon microstructures, the hard carbon anode exhibits a high capacity of 369.8 mAh g<sup>-1</sup> with an ICE of 82.5% at 20 mA g<sup>-1</sup>. Moreover, when matched with a Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> cathode, the full cell delivers a high energy density of 243.1 Wh Kg<sup>-1</sup> and stable cycling performance, demonstrating ...

The foreseeable crisis about environment and energy make it imperative to develop sustainable energy storage and conversion ... China), in a potential range of 0-2.5 V (vs Na<sup>+</sup>/Na) for hard carbon anode, 2.0-3.7 V for NVP cathode and 1.5-3.4 V for NVP//HC full cell at different current rates. Cyclic voltammetry (CV) was ...

Hard carbon (HC) is a prospective energy storage anode material in sodium-ion batteries (SIBs). However, their unimpressive rate capability and poor initial Coulombic efficiency (ICE) have driven the requirements for superior capability HC anode materials.

Then, the mechanism of sodium storage in hard carbon is investigated, which can be broadly categorized into four model, "insertion-filling", "adsorption-insertion", "adsorption-filling", and "multistage". ... A roadmap toward high specific energy sodium-ion batteries through carbon anode optimization. Adv. Energy Mater ...

Hard carbons are emerging as the most viable anodes to support the commercialization of sodium-ion (Na-ion) batteries due to their competitive performance. However, the hard carbon anode suffers ...

Subsequently, for the metal plating problem of the hard carbon anode, the states of the sodium stored at different voltage regions are illustrated thoroughly. Finally, the competing process between the sodium storage and metal plating in hard carbon has been insightfully discussed, and controlling measures have been proposed. ... Energy storage ...

Hard carbon represents the most promising anode materials for sodium-ion batteries (SIBs) due to its high storage capacity, properly low working potential and cycling stability [1]. Generally, some highly abundant and renewable resource (such as cellulose [2] and sucrose [3]) are treated as precursors to obtain hard carbon at specific heat treatment ...

Lithium-ion batteries (LIBs) have been widely applied in portable electronic devices, electric vehicles and energy storage systems, owing to their high energy density, high energy efficiency, long cycle life, ... In order

to evaluate the application of pitch-based hard carbon as anode, a full cell with NVCP as cathode was constructed. The N/P ...

The as-synthesized hard carbon anode shows remarkable sodium storage performance on evaluation as an anode material for SIBs. One of the key findings to emerge from this study is that the residual sodium components on the hard ...

Here we choose specific hard carbon spheres (HCSs) (Supplementary Fig. 2) as a model system to study the origin of fast-charging properties. Two different carbonization temperatures (1,200 and ...

Hard carbon with abundant micropores and C = O is obtained by molecular design. The micropores provides abundant storage sites to enhance plateau capacity. The interface C ...

Scalable production of low-cost SIB anode materials with large capacity, high ICE and good rate performance are highly desirable. Amorphous carbons have been investigated as SIB anode due to relatively large interlayer distance, 0.37 - 0.41 nm typically, allowing Na hosting. Amorphous carbon can be classified into two types, soft carbons and hard carbons.

Hard carbon emerges as prime anode materials for SIBs, boasting high specific capacity, low sodium storage potential, and wide availability. However, practical applications of hard carbon encounters challenges such as ...

Hard carbon is promising anode for high performance lithium-ion batteries at low temperature. However, the lithium storage mechanism in hard carbon at low temperature remains unclear with no consensus. Herein, the ...

The adsorption energy ( $E_{\text{ads}}$ ) of the Na atom and K atoms on the N-doped carbon is calculated as follows:  $E_{\text{ads}} = (E_{\text{tot}} - E_{\text{carbon}} - n E_{\text{alkali}}) / n$  where  $E_{\text{tot}}$  is the total energy of the compound,  $E_{\text{alkali}}$  the energy per alkali atoms for the bulk metal,  $E_{\text{carbon}}$  the energy of the carbon materials, and  $n$  the number of alkali ...

Accordingly, multitudinous new energy storage systems such as sodium-ion, metal-sulfur, and metal-air batteries have been widely studied. ... We conclude that the rationally designed K<sup>+</sup>-preadsorbed method can effectively ...

These hard carbon materials showed an improved sodium-storage properties, for example, Liu et al. stated sawdust powder-derived hard carbon by ball-milled, acid-washed and calcination as an anode for SIBs, and they found that the HC-1200 presented a high specific capacity of 320 mAh g<sup>-1</sup> after 200 cycles at 0.5 A g<sup>-1</sup> [18].

Hard carbon has received much attention as a promising anode material for energy storage systems because of

its low cost, abundant source and high capacity. Based on the investigations regarding Na + storage, the charge-discharge curve of hard carbon can be usually divided into two parts: the slope region at high voltage ( $>0.1$  V vs. Na + /Na ...

However, hard carbon (HC) anode materials currently in use face significant challenges, such as capacity degradation and sodium metal plating during fast-charging. This ...

Web: <https://eastcoastpower.co.za>

